



AUSTRALIAN SLUSH MACHINES

S moothie & lush





AUSTRALIAN SLUSH MACHINES


Thank you for your valuable enquiry on our high quality slush machines.

We have:

- ISM-72L Electronic Slush 7.5 L x 2 Tank \$3299
- Ozilce-6L 1x6 Ltr Slush & Icecream Machine \$1899
- 1x12 ltr \$1599(SSM180)
- 2x12 ltr \$2799(SSM280)
- 3x12 ltr \$3499 (SSM420)
- 2x6 ltr \$1999 (SSM52)
- 2x12 ltr \$2499 (Oz Ice Slush)
- Juice/Drink Dispenser 1x20ltr \$650 (OziJuice20)

SLUSH MACHINE – 12 LITRE CAPACITY

- Unbreakable & non-poisonous P.C 12Litre(3.17gallon) capacity bowls. (Maximum mix capacity is 9Litre.)
- Stainless steel body and case for long life.
- Durable metal gear motor for long life and reliability.
- TC & Torque control system.



Drain cap



Drip guidance



Air filter



Drain box



SSM-180

- Tank capacity: 12Litre(3.17gallon) X 1
- Weight: 30Kg (66.2 lbs)



SLUSH MACHINE -7.5 LITRE CAPACITY



- No.1 performance in tropical zone.
- Fastest freezing ability.
- Unbreakable & non-poisonous P.C 7.5Litres(1.98gallon) capacity bowls.
- TC & Torque control system. [Drain cap] [Drip guidance] [Air filter] [Drain box] adopted.



Locking hole



Leveler



SSM-52

- Tank capacity: 7.5Litre(1.98gallon) X 2
- Weight: 38Kg (83.8 lbs)

Display light



SSM-280

- Tank capacity: 12Litre(3.17gallon) X 2
- Weight: 52Kg (114.7 lbs)



SSM-420

- Tank capacity: 12Litre(3.17gallon) X 3
- Weight: 80Kg (176.4 lbs)



SSM-560

- Tank capacity: 12Litre(3.17gallon) X 3
- Weight: 160Kg (352.8 lbs)



Ozilce 6L



Ozi S2



**Juice
Dispenser**

Multipurpose **ALL IN ONE**

Slush & Soft Ice Cream Machines are combined.
You can enjoy Slush & Yogurt together.



SS-M-280

- Tank capacity: 12Litre(3.17gallon) X 2
- Weight: 52Kg (114.7 lbs)

Combined
&



SSI-151TG

- Cylinder capacity: 1.4Litre(0.37gallon) X 1
- Weight: 90Kg (198 lbs)



ALL IN ONE

NEW
LCD SLUSH MACHINE

ISM-72L



CLASSIFICATION		SPECIFICATION
MODEL		ISM-72L (FROZEN BEVERAGE)
PRODUCT NAME		SLUSH MACHINE
BODY	SIZE(WXD _X H) / mm	410 X 430 X 730 (Included Cover)
	SIZE(WXD _X H) / Inch	16.1x16.9x28.7 (Included Cover)
Electric Feature	Rated Power	500W
	Current Consumption	3.6A
	Geared Motor	2 EA
	Fan Motor	10 W
Freezing	Compressor	Fully Closed
	Condenser	Pin tube type
	Evaporator	Tube-launched Drum Type
	Cooling Type	Capillary Tube
Miscellaneous	Refrigerant	R-134A
	Proper Material Quantity	3.0L X 2TANK (Maximum 5L)
	Control Method	LCD BUTTON, MICOM CONTROL
	Operation Environment	Ambient Temperature: 10~38°C Rating: 115V/60Hz, 208~230V/60Hz, 220~240V/50Hz



SSM-180

Dimensions	195x487x837(mm)
(W x D x H)	7.7x19.2x33.0(inch)
Weight	30Kg (66.2lbs)
Legs	Rubber Packing
Power consumption	320W
Gear motor	67Wx1EA
Refrigerant	R-134a
Compressor	0.35HP
Voltage rate	115V/60Hz, 208~230V/60Hz, 220~240V/50HZ
Optional accessories	-



SSM-280

Dimensions	395x468x897(mm)
(W x D x H)	15.6x18.5x35.4(inch)
Weight	51Kg(112.5lbs)
Legs	Rubber Packing
Power consumption	1,020W
Gear motor	67Wx2EA
Refrigerant	R-404a
Compressor	0.85HP
Voltage rate	115V/60Hz, 208~230V/60Hz, 220~240V/50HZ
Optional accessories	Supporting Table



SSM-420

Dimensions	598x468x897(mm)
(W x D x H)	23.6x18.5x35.4(inch)
Weight	75Kg(165.4lbs)
Legs	Rubber Packing
Power consumption	1,350W
Gear motor	67Wx3EA
Refrigerant	R-404a
Compressor	0.85HP (50Hz spec), 1.30HP (60Hz spec)
Voltage rate	115V/60Hz, 208~230V/60Hz, 220~240V/50HZ
Optional accessories	Supporting Table



SSM-560

Dimensions	795x502x1,307(mm)
(W x D x H)	31.3x19.8x51.5(inch)
Weight	160Kg(352.8lbs)
Legs	Casters
Power consumption	2,040W
Gear motor	67Wx4EA
Refrigerant	R-404a
Compressor	0.85HPx2EA
Voltage rate	208~230V/60Hz, 220~240V/50HZ
Optional accessories	-



SSM-52

Dimensions	420x380x705(mm)
(W x D x H)	16.6x7.1x27.8(inch)
Weight	38Kg (83.8lbs)
Legs	Adjustable leveler
Power consumption	500W
Gear motor	67x2EA
Refrigerant	R134a
Compressor	0.5HP
Voltage rate	115V/60Hz, 208~230V/60Hz, 220~240V/50HZ

*The product's design and specification is subject to change without notice.



ALL IN ONE

Dimensions	825x724x1,500(mm)
(W x D x H)	32.5x28.5x59.1(inch)
Weight	190Kg(419lbs)
	Slush Part : Same as SSM-280
	Soft Ice Cream Part
Mix Hopper Capacity	10Litre (2.64gallon)
Cylinder Capacity	1.4Litre (0.37gallon)
Dasher Motor	0.37KW
Maximum Production	2Kg/h(26.5lbs/h)
First Dispensing Time	6~8min
Dispensing	5~6cups(100cc/3.5oz)
Compressor-Cylinder	0.85HP(R404a)
Hopper	0.35HP(R134a)
Voltage rate	208~230V/60Hz, 220~240V/50HZ

* Product's exterior and specification can be modified without prior notice.



SSM-180



SSM-280



SSM-420



SSM-52



ISM-72L

All with our Exclusive Lifetime Warranty on Major Parts: Compressor/Motor, GearBox, Bowls, Pins and Handles.




SSM-560



Ozilce 6L



Ozi S2



**Juice
Dispenser**



ALL IN ONE

We Are Also the Major Wholesaler of Granita Slush Syrup, 99% Juice Mix & Cocktail Base Mix with a 12-24 Month Best Before Date

NB: We also rent, lease & hire Slush Machines from as little as \$30/week* e.g. Single Bowl Slush / Ice Cream Machines (\$30/week), 2x12 Slush Machines (\$50/week). Min rental periods & conditions apply.

You can also lease on a long term basis with our Partners Silver Chef & FlexiRent. Contact us for details.

Best Regards & If we can assist you with any questions please feel free to email, call or SMS



Website: www.AustralianSlushMachines.com.au
TEL: 0447587446; 044SLUSHGO
E-mail: simon@australianslushmachines.com.au