



# WORLD BEST

YOGURT & SOFT ICE CREAM MACHINE



### Compact Design

Can be installed in tight areas.



### Low noise & vibration

Operating sound is very quiet compared to other similar graded products.



#### Single Flavor

#### Two Flavors & One Twist

|           | SSI-141TG                               | SSI-143S                                  |
|-----------|-----------------------------------------|-------------------------------------------|
| Dimension | 395x680x700(mm)<br>15.6x26.8x27.6(inch) | 520x650x1,490(mm)<br>20.5x25.6x58.7(inch) |
| Weight    | 80Kg(176lbs)                            | 170Kg(375lbs)                             |
| Electric  | 208-230V/60Hz/1Ph<br>220-240V/50Hz/1Ph  | 208-230V/60Hz/1Ph<br>220-240V/50Hz/1Ph    |



SSI-141TG

SSI-143S



### Luxurious & Simple Design

Touch screen button and simplified display match with any interior design.



### Artificial Intelligence Control System

AI Control System makes high quality soft serve ice cream.



### (P)\*Model has Air Pump System

Air Pump increases over-run which makes Soft Serve Ice Cream much smoother and softer.

#### Single Flavor

#### Two Flavors & One Twist

|           | SSI-151TG                               | SSI-203SN(P)*                                                                    |
|-----------|-----------------------------------------|----------------------------------------------------------------------------------|
| Dimension | 395x810x745(mm)<br>15.6x31.9x29.3(inch) | 540x900x1,510(mm)<br>21.3x35.4x59.4(inch)                                        |
| Weight    | 92Kg(202.8lbs)                          | 270Kg(595.3lbs)                                                                  |
| Electric  | 208-230V/60Hz/1Ph<br>220-240V/50Hz/1Ph  | 208-230V/60Hz/1Ph<br>220-240V/50Hz/1Ph<br>208-230V/60Hz/3Ph<br>380-420V/50Hz/3Ph |



SSI-151TG

SSI-203SN(P)\*



SSI-300T(P)\*

ISI-303SN(P)\*



### Powerful Production Capacity

Oversized compressor cuts down on production time.



### Mass Storage Capacity

The Large Mix Hopper & Cylinder can serve Soft Ice Cream & Yogurt continuously.



### (P)\*Model has Air Pump System

Air Pump increases over-run which makes Soft Serve Ice Cream much smoother and softer.

#### Single Flavor

#### Two Flavors & One Twist

|           | SSI-300T(P)*                           | ISI-303SN(P)*                                                                    |
|-----------|----------------------------------------|----------------------------------------------------------------------------------|
| Dimension | 460x760x820(mm)<br>18.1x30x32.3(inch)  | 670x961x1,540(mm)<br>26.4x37.9x60.7(inch)                                        |
| Weight    | 130Kg(287lbs)                          | 330Kg(728lbs)                                                                    |
| Electric  | 208-230V/60Hz/1Ph<br>220-240V/50Hz/1Ph | 208-230V/60Hz/1Ph<br>220-240V/50Hz/1Ph<br>380-420V/50Hz/3Ph<br>208-230V/60Hz/3Ph |

## HEAT TREATMENT MODEL



ISI-271TH(P)\*

ISI-273S(H)L(P)\*



### Heat Treatment System (Pasteurization System)

Pasteurization involves heating dairy products for a period of time to kill bacteria, maintaining dairy products up to two weeks. You can also choose an automatic or manual pasteurization system.



### Agitator

Quick Cooling  
Prevents separation of liquids.



### (P)\*Model has Air Pump System

Air Pump increases over-run which makes Soft Serve Ice Cream much smoother and softer.

#### Single Flavor

#### Two Flavors & One Twist

|           | ISI-271TH(P)*                           | ISI-273S(H)L(P)*                                                                                  |
|-----------|-----------------------------------------|---------------------------------------------------------------------------------------------------|
| Dimension | 380x790x962(mm)<br>14.9x31.1x37.8(inch) | 530x830x1,400(mm)<br>20.8x32.6x55.1(inch)                                                         |
| Weight    | 150Kg(330.6lbs)                         | 255Kg(562.1lbs)                                                                                   |
| Electric  | 208-230V/60Hz/1Ph<br>220-240V/50Hz/1Ph  | 208-230V/60Hz/1Ph<br>220-240V/50Hz/1Ph<br>380-420V/50Hz/3Ph<br>380V/60Hz/3Ph<br>208-230V/60Hz/3Ph |



### Powerful Production Capacity

Oversized compressor cuts down on production time.



### Defrost Function

Save cleaning time.



### Mass Storage Capacity

The Large Mix Hopper & Cylinder can serve Soft Ice Cream & Frozen Yogurt continuously.



### Agitator

Quick Cooling  
Prevents separation of liquids.



### Heat Treatment System (Pasteurization System)

Pasteurization involves heating dairy products for a period of time to kill bacteria, maintaining dairy products up to two weeks. You can also choose an automatic or manual pasteurization system.

### Single Flavor

|           |                                        |                      |
|-----------|----------------------------------------|----------------------|
| Dimension | 462x840x850(mm)                        | 18.2x33.1x33.5(inch) |
| Weight    | 140Kg(308.65lbs)                       |                      |
| Electric  | 208-230V/60Hz/1Ph<br>220-240V/50Hz/1Ph |                      |



### (P)\*Model has Air Pump System

Air Pump increases over-run which makes Soft Serve Ice Cream much smooth and softer.



ISI-301TH(P)\*

## Self Serve Ice Cream Machine – 1 Flavor



ISI-271THS

ISI-271SHS



### Heat treatment function

No need to clean everyday  
Clean every 14days



### Various Functions

Defrost / Regeneration / Boiling



### Agitator

For quick cooling &  
Prevents separation of liquids



(a) Water supply hose for easy cleaning

(b) Dispensing button

(c) Cup or Cone defecting sensor

(d) Cup or Cone rack

(e) Air filter

## User friendly functions

① Convenient LCD display



\* can choose dispensing weight. It's very easy!!

② Sales button - The machine will start sales when pressing the front sales button

③ Optional Coin Mechanism - Coin mechanism is available

④ Ergonomic dispensing structure



### Hygienic dispensing structure:

The unique diagonal dispensing structure prevents any touch when customers take ice cream.

SALES  
BUTTON

## It's the easiest way to enjoy soft ice cream



Place a cup or cone



Press button



Take ice cream and enjoy



ICETRO can supply cups with foldable spoon attached on the bottom.

# Self Serve Ice Cream Machine – 3 Flavors

## Keynote of New



## Revolution of Self Serve Ice Cream Machine

| PRODUCT                      | ISI-273SH3S (P)*                                                                                                      |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| SIZE(EXCEPT COVER)           | 668 × 875 × 1,440(mm)                                                                                                 |
| WEIGHT(KG)                   | 350                                                                                                                   |
| CYLINDER                     | 2.7L × 2EA                                                                                                            |
| MIX HOPPER                   | 17.5L × 2EA                                                                                                           |
| CONSECUTIVE DISPENSING(CUPS) | 15 ~ 40 CUPS<br>(100cc / 3.5oz)                                                                                       |
| FIRST DISPENSING TIME(MIN)   | 7 ~ 10                                                                                                                |
| INGREDIENT FEEDING           | Internal Drum<br>Side Supply                                                                                          |
| REFRIGERATION TEMPERATURE    | Less than 4°C                                                                                                         |
| POWER SUPPLY                 | 208~230V / 60Hz / 1Ph<br>220~240V / 50Hz / 1Ph<br>380~420V / 50Hz / 3Ph<br>380V / 60Hz / 3Ph<br>208~230V / 60Hz / 3Ph |
| PASTEURIZATION               | Adopted(68°C)                                                                                                         |
| REGENERATION                 | Adopted                                                                                                               |

# Automatic Ice Cream Vending Machine



## How to enjoy



**Cup dispenser**  
contains 170cups



**Various Functions**  
Defrost / Regeneration /  
Boil ing Function



**19" LED TV**  
Video & Jpeg available



**Bill & Coin  
Mechanism**



**Agitator**  
Quick Cooling  
Prevents liquid  
separation.



**Automatic  
Door**



**Heat Treatment  
System**  
(Pasteurization System)



**Anti-insects  
Screen**



**Wifi-Control  
System**  
Mobile & PC



|           |                                          |                       |
|-----------|------------------------------------------|-----------------------|
| Dimension | 1,000x980x1,860(mm) 33.4x38.6x73.2(inch) |                       |
| Weight    | 490Kg(1,080lbs)                          |                       |
| Electric  | 208~230V / 60Hz / 1Ph                    | 220~240V / 50Hz / 1Ph |
|           | 380~420V / 50Hz / 3Ph                    | 380V / 60Hz / 3Ph     |
|           | 208~230V / 60Hz / 3Ph                    |                       |

# Frozen Yogurt & Soft Ice Cream Machine



## SSI-143S

|                        |                           |
|------------------------|---------------------------|
| Mix Hopper Capacity    | 5.5liter (1.45gallon)×2EA |
| Cylinder Capacity      | 1.4liter (0.37gallon)×2EA |
| Power Consumption      | 2,200W                    |
| Dasher Motor           | 0.37KW×2EA                |
| Maximum Production     | 24Kg/h(52.9lbs/h)         |
| First Dispensing Time  | 6-8min                    |
| Consecutive Dispensing | 10-15cups(100cc/3.5oz)    |
| Compressor-Cylinder    | 0.85HP×2EA(R404A)         |
| Compressor-Mix Hopper  | 0.35HP(R134a)             |



## SSI-203SN(P)\*

|                        |                           |
|------------------------|---------------------------|
| Mix Hopper Capacity    | 10liter (2.64gallon)×2EA  |
| Cylinder Capacity      | 2.7liter (0.72gallon)×2EA |
| Power Consumption      | 4,500W                    |
| Dasher Motor           | 0.75KW×2EA                |
| Maximum Production     | 42Kg/h(92.6lbs/h)         |
| First Dispensing Time  | 7-11min                   |
| Consecutive Dispensing | 16-40cups(100cc/3.5oz)    |
| Compressor-Cylinder    | 1.3HP×2EA(R404A)          |
| Compressor-Mix Hopper  | 0.35HP(R134a)             |

Heat Treatment



## ISI-273S(H)L(P)\*

|                        |                           |
|------------------------|---------------------------|
| Mix Hopper Capacity    | 9.5liter (2.61gallon)×2EA |
| Cylinder Capacity      | 2.7liter (0.72gallon)×2EA |
| Power Consumption      | 4,300W                    |
| Dasher Motor           | 0.75KW×2EA                |
| Maximum Production     | 42Kg/h(92.6lbs/h)         |
| First Dispensing Time  | 7-11min                   |
| Consecutive Dispensing | 16-40cups(100cc/3.5oz)    |
| Compressor-Cylinder    | 1.5HP×2EA(R404A)          |
| Compressor-Mix Hopper  | None                      |



## ISI-303SN(P)\*

|                        |                            |
|------------------------|----------------------------|
| Mix Hopper Capacity    | 17.5liter (4.62gallon)×2EA |
| Cylinder Capacity      | 3.2liter (0.85gallon)×2EA  |
| Power Consumption      | 6,050W                     |
| Dasher Motor           | 0.75KW×2EA                 |
| Maximum Production     | 68Kg/h(149.9lbs/h)         |
| First Dispensing Time  | 8-10min                    |
| Consecutive Dispensing | 50-90cups(100cc/3.5oz)     |
| Compressor-Cylinder    | 2.0HP×2EA(R404A)           |
| Compressor-Mix Hopper  | 0.35HP(R134a)              |

Self Serve



## ISI-271THS/SHS

|                        |                     |
|------------------------|---------------------|
| Mix Hopper Capacity    | 12.3 Liter × 1EA    |
| Cylinder Capacity      | 2.7 Liter × 1EA     |
| Power Consumption      | 2,200W              |
| Dasher Motor           | 0.75KW              |
| Maximum Production     | 276cups/h (75g/cup) |
| First Dispensing Time  | 7-11 min            |
| Consecutive Dispensing | 8-10cups            |
| Compressor-Cylinder    | 1.5HP×1EA(R404A)    |
| Compressor-Mix Hopper  | None                |

AUTO-VENDING MACHINE



## ISIV-273SHC

|                        |                           |
|------------------------|---------------------------|
| Mix Hopper Capacity    | 9.5liter (2.61gallon)×2EA |
| Cylinder Capacity      | 2.7liter (0.72gallon)×2EA |
| Power Consumption      | 4,500W                    |
| Dasher Motor           | 0.75KW×2EA                |
| Maximum Production     | 120cones/hour             |
| First Dispensing Time  | 7-11min                   |
| Consecutive Dispensing | 40cones                   |
| Compressor-Cylinder    | 1.5HP×2EA(R404A)          |
| Compressor-Mix Hopper  | None                      |

\* Product's exterior and specification can be modified without prior notice.

# Frozen Yogurt & Soft Ice Cream Machine



## SSI-141TG

|                        |                       |
|------------------------|-----------------------|
| Mix Hopper Capacity    | 10liter (2.64gallon)  |
| Cylinder Capacity      | 1.4liter (0.37gallon) |
| Power Consumption      | 1,200W                |
| Dasher Motor           | 0.37KW                |
| Maximum Production     | 12Kg/h(26.5lbs/h)     |
| First Dispensing Time  | 6-8min                |
| Consecutive Dispensing | 5-6cups(100cc/3.5oz)  |
| Compressor-Cylinder    | 0.85HP(R404A)         |
| Compressor-Mix Hopper  | None                  |



## SSI-151TG

|                        |                       |
|------------------------|-----------------------|
| Mix Hopper Capacity    | 10liter (2.64gallon)  |
| Cylinder Capacity      | 1.4liter (0.37gallon) |
| Power Consumption      | 1,400W                |
| Dasher Motor           | 0.37KW                |
| Maximum Production     | 16Kg/h(35.3lbs/h)     |
| First Dispensing Time  | 6-9min                |
| Consecutive Dispensing | 5-6cups(100cc/3.5oz)  |
| Compressor-Cylinder    | 0.85HP(R404A)         |
| Compressor-Mix Hopper  | 0.35HP(R134a)         |



## SSI-300T(P)\*

|                        |                        |
|------------------------|------------------------|
| Mix Hopper Capacity    | 17.5liter (4.62gallon) |
| Cylinder Capacity      | 3.2liter (0.85gallon)  |
| Power Consumption      | 2,500W                 |
| Dasher Motor           | 0.75KW                 |
| Maximum Production     | 30Kg/h(70.5lbs/h)      |
| First Dispensing Time  | 8-10min                |
| Consecutive Dispensing | 15-18cups(100cc/3.5oz) |
| Compressor-Cylinder    | 1.2HP(R404A)           |
| Compressor-Mix Hopper  | 0.35HP(R134a)          |



## ISI-301TH(P)\*

|                        |                         |
|------------------------|-------------------------|
| Mix Hopper Capacity    | 17.5liter (4.62gallon)  |
| Cylinder Capacity      | 3.2liter (0.85gallon)   |
| Power Consumption      | 2,000W (PUMP: Add 200W) |
| Dasher Motor           | 0.75KW                  |
| Maximum Production     | 34Kg/h(77.9lbs/h)       |
| First Dispensing Time  | 8-10min                 |
| Consecutive Dispensing | 15-18cups(100cc/3.5oz)  |
| Compressor-Cylinder    | 1.7HP(R404A)            |
| Compressor-Mix Hopper  | None                    |



## ISI-271TH(P)\*

|                        |                         |
|------------------------|-------------------------|
| Mix Hopper Capacity    | 9.5liter (2.61gallon)   |
| Cylinder Capacity      | 2.7liter (0.72gallon)   |
| Power Consumption      | 1,910W (PUMP: Add 200W) |
| Dasher Motor           | 0.75KW                  |
| Maximum Production     | 21Kg/h(46.3lbs/h)       |
| First Dispensing Time  | 7-11min                 |
| Consecutive Dispensing | 8-10cups(100cc/3.5oz)   |
| Compressor-Cylinder    | 1.5HP(R404A)            |
| Compressor-Mix Hopper  | None                    |



## ISI-273SH3S(P)\*

|                        |                             |
|------------------------|-----------------------------|
| Mix Tank Capacity      | 17.5liter(4.62gallon) x2EA  |
| Cylinder Capacity      | 2.7liter(0.72gallon) x2EA   |
| Power Consumption      | 4,350W (PUMP: Add 200W)     |
| Dasher Motor           | 0.75KWx2EA                  |
| Maximum Production     | 12.8Kg/h(28.2lbs/h)         |
| First Dispensing Time  | 7-10min                     |
| Consecutive Dispensing | 15 ~ 40 cups(100cc / 3.5oz) |
| Compressor-Cylinder    | 17HP (R404A) x2EA           |
| Compressor-Mix Hopper  | None                        |

\* Product's exterior and specification can be modified without prior notice.



☆ New Trend!  
Try Spaghetti Ice Cream!

**2WAY CONFIGURATION**

Available on both  
Spaghetti mode &  
General soft ice cream mode



|                                                  |                                             |
|--------------------------------------------------|---------------------------------------------|
| PRODUCT NAME                                     | ISI-322ST                                   |
| Flavor                                           | One (1)                                     |
| Maxium Production<br>(Kg (lbs) / h)              | 30kg (70.5lbs)                              |
| Mix Hopper Capacity<br>(liter (gallon))          | 17.5liter (4.62gallon)                      |
| Cylinder Capacity<br>(liter (gallon))            | 3.2liter (0.85gallon)                       |
| First Dispensing<br>Time (min)                   | 8~10min                                     |
| Consecutive Dispensing<br>(cups (100cc / 3.5oz)) | 15~18cups (100cc / 3.5oz)                   |
| Compressor - Cylinder<br>(HP)                    | 1.2HP (R404A)                               |
| Compressor - Mix Hopper<br>(HP)                  | 0.35HP (R134A)                              |
| Dimension<br>(W × D × H / mm / inch)             | 460 × 760 × 820 (mm)<br>18 × 30 × 32 (inch) |
| Weight (Kg (lbs))                                | 130kg (287lbs)                              |



ISI-322ST

\* Other functions are the same with SSI-300T

